

# NPS Develops AI Solution to Automate Drone Defense with High Energy Lasers



Naval Postgraduate School faculty researchers Brij Agrawal, right, and Leonardo Herrera, center, observe U.S. Navy Ensign Nicholas Messina as he positions a Reaper drone model in an optical beam path that simulates how a laser weapon system engages a distant flying drone. (Javier Chagoya)

From Dan Linehan, Feb. 12, 2025

MONTEREY, Calif.— Lasers enable the U.S. Navy to fight at the speed of light. Armed with artificial intelligence (AI), ship defensive laser systems can make rapid, accurate targeting assessments necessary for today's complex and fast-paced operating environment where drones have become an increasing threat.

To counter the rapidly mounting threats posed by the proliferation of inexpensive uncrewed autonomous systems

(UAS), or drones, Naval Postgraduate School (NPS) researchers and collaborators are applying AI to automate critical parts of the tracking system used by laser weapon systems (LWS). By improving target classification, pose estimation, aimpoint selection and aimpoint maintenance, the ability of an LWS to assess and neutralize a hostile UAS greatly increases. Enhanced decision advantage is the goal.

The tracking system of an LWS follows a sequence of demanding steps to successfully engage an adversarial UAS. When conducted by a human operator, the steps can be time consuming, especially when facing numerous drones in a swarm. Add in the challenges of an adversary's missiles and rockets traveling at hypersonic speeds, efforts to mount proper defenses become even more complicated, and urgent.

Directed energy and AI are both considered [DOD Critical Technology Areas](#). By automating and accelerating the sequence for targeting drones with an AI-enabled LWS, a research team from NPS, Naval Surface Warfare Center Dahlgren Division, Lockheed Martin, Boeing and the Air Force Research Laboratory (AFRL) developed an approach to have the operator on-the-loop overseeing the tracking system instead of in-the-loop manually controlling it.

“Defending against one drone isn’t a problem. But if there are multiple drones, then sending million-dollar interceptor missiles becomes a very expensive tradeoff because the drones are very cheap,” says Distinguished Professor Brij Agrawal, NPS Department of Mechanical and Aerospace Engineering, who leads the NPS team. “The Navy has several LWS being developed and tested. LWS are cheap to fire but expensive to build. But once it’s built, then it can keep on firing, like a few dollars per shot.”

To achieve this level of automation, the researchers generated two datasets that contained thousands of drone images and then applied AI training to the datasets. This produced an AI model

that was validated in the laboratory and then transferred to Dahlgren for field testing with its LWS tracking system.

Funded by the Joint Directed Energy Transition Office (DE-JTO) and the Office of Naval Research (ONR), this research addresses advanced AI and directed energy technology applications cited in the CNO NAVPLAN.

During a typical engagement with a hostile drone, radar makes the initial detection and then the contact information is fed over to the LWS. The operator of the LWS uses its infrared sensor, which has a wide field of view, to start tracking the drone. Next, the high magnification and narrow field of view of its high energy laser (HEL) telescope continues the tracking as its fast-steering mirrors maintain the lock on the drone.

With a video screen showing the image of the drone in the distance, the operator compares it to a target reference to classify the type of drone and identify its unique aimpoints. Each drone type has different characteristics, and its aimpoints are the locations where that particular drone is most vulnerable to incoming laser fire.

Along with the drone type and aimpoint determinations, the operator must identify the drone's pose, or relative orientation to the LWS, necessary for locating its aimpoints. The operator looks at the drone's image on the screen to determine where to point the LWS and then fires the laser beam.

Long distances and atmospheric conditions between the LWS and the drone can adversely affect the image quality, making all these identifications more challenging and time consuming to conduct.

After all these preparations, the operator cannot just simply move a computerized crosshair across the screen onto an aimpoint and press the fire button as if it were a kinetic

weapon system, like an anti-aircraft gun or interceptor missile.

Though lasers move at the speed of light, they don't instantaneously destroy a drone like the way lasers are depicted in sci-fi movies. The more powerful the laser, the more energy it delivers in a given time. To heat a drone enough to cause catastrophic damage, the laser must be firing the entire time.

If the drone continuously moves, then the laser beam will wander along its surface if not continuously re-aimed. In this case, the laser's energy will be distributed across a large area instead of concentrated at a single point. This process of continuously firing the laser beam at one spot is called aimpoint maintenance.

In 2016, construction of the High Energy Laser Beam Control Research Testbed (HBCRT) was completed by the NPS research team. The HBCRT was designed to replicate the functions of an LWS found aboard a ship, such as the [30-kilowatt, XN-1 Laser Weapon System](#) operated on USS Ponce (LPD 15) from 2014 to 2017.

Early on, the HBCRT was [utilized at NPS to study adaptive optics techniques](#) to correct for aberrations from atmospheric conditions that degrade the quality of the laser beam fired from an LWS. Later, the addition of state-of-the-art deformable mirrors built by Northrup Grumman allowed NPS [researchers to investigate further impacts of deep turbulence](#).

Over the years, 15 masters and 2 PhD degrees have been earned by NPS officer-students contributing their interdisciplinary research into hardware and software related to the HBCRT. Investigations by U.S. Navy Ensigns Raymond Turner, MS aeronautical engineering in 2022, and Raven Heath, MS aeronautical engineering in 2023, added to this research.

Turner helped integrate AI algorithms into the HBCRT for aimpoint selection and maintenance, and Heath used deep learning to research AI target key points estimation.

Now the HBCRT is also being used to create catalogs of drone images to make real-world datasets for AI training.

Built by Boeing, the HBCRT has a 30 cm diameter, fine-tracking, HEL telescope and a course-tracking, mid-wavelength infrared (MWIR) sensor. The pair is called the beam director when coupled together on a large gimble that swivels them in unison up-and-down and side-to-side.

“The MWIR is thermal,” says Research Associate Professor Jae Jun Kim, NPS Department of Mechanical and Aerospace Engineering, who specializes in optical beam control. “It looks at the mid-wavelength infrared signal of light, which is related to the heat signature of the target. It has a wide field of view. The gimbals move to lock onto the target. Then the target is seen through the telescope, which has very small field of view.”

A 1-kilowatt laser beam (roughly a million times more powerful than a classroom laser pointer) can fire from the telescope. If the laser beam were to be used, it’s generated by a separate external unit and then directed into the telescope, which then projects the laser beam onto the target. However, its use with the HBCRT isn’t required for the initial development of this research, which allows the work to be easily conducted inside a laboratory.

With a short-wavelength infrared (SWIR) tracking camera, the telescope can record images of a drone that is miles away. Although necessary, replicating the view of a distant drone in a small laboratory is impossible. To resolve this dilemma, researchers mounted 3D-printed, titanium miniature models of drones fabricated by AFRL into a range-in-a-box (RIAB).

Constructed on an optical bench, the RIAB accurately

replicates a drone flying miles away from the telescope by using a large parabolic mirror and other optical components. This research used a miniature model of a Reaper drone. When a SWIR image is taken of the drone model by the telescope, it appears to the telescope as if it were seeing an actual full-sized Reaper drone.

The drone model is attached to a gimble with motors that can change its pose along the three rotational flight axes of roll (x), pitch (y) and yaw (z). This allows the telescope to observe real-time changes in the direction that the drone model faces.

Simply put, pose is the orientation of the drone that the telescope “sees” in its direct line of sight. Is the drone heading straight-on or flying away, diving or climbing, banking or cruising straight and level, or moving in some other way?

By measuring the angles about the x-, y- and z-axes for a drone model in a specific orientation, the pose of the drone can be precisely defined and recorded. This important measurement is called the pose label.

The NPS researchers created two large representative datasets for AI training to produce the AI model for automating target classification, pose estimation, aimpoint selection and aimpoint maintenance. The AI training used convolutional neural networks with deep learning, which is a machine learning technique based on the understanding of neuropathways in the human brain. A [recent journal article in \*Machine Vision and Applications\*](#) by NPS faculty Leonardo Herrera, Jae Jun Kim, and Brij Agrawal describes the datasets and AI training in detail.

Each piece of data in the dataset contained a 256´256-pixel image of a Reaper drone in a unique pose with its corresponding pose label. Lockheed Martin used computer

generation to create the synthetic dataset, which contained 100,000 images. Created with the HBCRT and RIAB at NPS, the real-world dataset contained 77,077 images.

“If we train on only clean pictures, it won’t work. That is a limitation,” says Agrawal. “We need a lot of data with different backgrounds, intensities of the sun, turbulence and more. That’s why when using AI, it takes a lot of work to create the data. And the more data you have, the higher the fidelity.”

For the AI model, three different AI training scenarios were generated and compared to determine which scenario performed the best. The first scenario only used the synthetic dataset, the second used both the synthetic and real-world datasets, and the third only used the real-world dataset.

Because the large sizes of datasets and their individual pieces of data required enormous amounts of computational power for the AI training, the researchers used an NVIDIA DGX workstation with four Tesla V100 GPUs. NPS operates numerous NVIDIA workstations. And in December 2024, to continue advancing AI-based technologies, [NPS formed a partnership with NVIDIA to become one of its AI Technology Centers.](#)

“Once we’ve generated a model, we want to test how good it is,” says Agrawal. “Assume you have a dataset with 100,000 data. We’ll train on 80,000 data and test on 20,000 data. Once it’s good with 20,000 data, we’re finished training it.”

U.S. Navy Ensign Alex Hooker, a [Shoemaker Scholar](#) who recently earned his M.S. in aeronautical engineering from NPS and is now a student naval aviator, contributed to testing the pose estimations of the AI model.

“A way to improve the reliability of the model at predicting the pose of a UAS in 3D space by taking 2D input images is detecting what’s called out of distribution data,” he says. “There are different ways to detect whether an image can be

trusted or whether it is out of distribution.”

By feeding the test data images from the dataset into the existing AI model and then comparing the output poses from the AI model to pose labels of the test data images, Hooker could continually train and refine the AI model itself.

Working now with Agrawal is NPS Space Systems Engineering student U.S. Navy Ensign Nicholas Messina, who graduated from the U.S. Naval Academy in aerospace engineering last year and is a [Boman Scholar](#) headed for the Nuclear Navy career track after NPS.

“My thesis is a little bit of a sidestep in the way that I am working with artificial intelligence and optics, but Dr. Agrawal and Dr. Herrera have been great,” said Messina. “My research is specifically working on optical turbulence prediction and classification. I train my AI models off large image datasets and am working to improve accuracy in how the model predicts the wavefronts from a picture.”

Because an LWS views the 3D drone flying far away as 2D images in the infrared spectrum, the features of the drone’s shape effectively disappear into a silhouette. For example, the silhouette of a drone flying directly head-on would look the same as if it were flying away in the exact opposite direction.

The researchers solved pose ambiguity for the AI model by introducing radar cueing. Tracking data from a radar can reveal if a drone is approaching, withdrawing or moving in some other way. For the AI training, the pose labels of the drone images were used to mimic real radar sensor output. The team also developed a separate method to simulate the radar data and provide radar cuing during LWS operation if actual radar data is not available.

Overall, the AI model from the scenario using only the real-world dataset performed best by producing the least amount of

error.

For the next phase of the research, the team transferred the AI model to Dahlgren for field testing on its LWS tracking system.

“Dahlgren has our model, which we trained on the dataset collected indoors on the HBCRT and complemented with synthetic data,” says Leonardo Herrera, who runs the AI laboratory at NPS and is a faculty associate in the Department of Mechanical and Aerospace Engineering. “They can collect live data using a drone and create a new dataset to train on top of ours. That’s called transfer learning.”

Creating more data under additional conditions and of other drone types will also continue at NPS. Just because the AI model is already trained on a Reaper doesn’t mean it’s reliable for other drones. But even before the AI model can be deployed, it must first be integrated into Dahlgren’s tracking system.

“We now have the model running in real-time inside of our tracking system,” says Eric Montag, an imaging scientist at Dahlgren and leader of a group that developed an LWS tracking system currently in use by High Energy Laser Expeditionary (HELEX), which is an LWS mounted on a land-based demonstrator.

“Sometime this calendar year, we’re planning a demo of the automatic aimpoint selection inside the tracking framework for a simple proof of concept,” Montag adds. “We don’t need to shoot a laser to test the automatic aimpoint capabilities. There are already projects—HELEX being one of them—that are interested in this technology. We’ve been partnering with them and shooting from their platform with our tracking system.”

When field testing occurs, HELEX will start tracking from radar cues and use pose estimation to automatically select an aimpoint. The tracking system of HELEX will be semi-

autonomous. So, instead of manually controlling aspects of the tracking system from in-the-loop, the operator will oversee it from on-the-loop.

Besides LWS, this research also opens other possibilities for use throughout the fleet. Tracking systems across other platforms could also see potential benefit from this type of AI-enabled automation. At a time when shipboard defenses can be threatened by massive waves of drones, missiles and rockets, a jump in the efficiency of determining friend or foe, and engaging hostile threats, could be a game-changer to speed decision-advantage.

---

## **Australian MQ-4C Triton Program on Track and Preparing Next Aircraft for Delivery**



Australia's third multi-intelligence MQ-4C Triton, also known as "AUS3," takes to the skies for its first flight at Northrop Grumman's Palmdale, California, facility on October 29, 2024. (Photo Credit: Northrop Grumman)

From Northrop Grumman

PALMDALE, Calif. – Feb. 6, 2025 – (PHOTO RELEASE) Northrop Grumman Corporation (NYSE: NOC) successfully completed testing of Australia's third MQ-4C Triton at the company's Palmdale, California, facility. The company is preparing to ferry the aircraft to Naval Air Station in Patuxent River, Maryland, where it will join Australia's second Triton for calibration testing before delivery of both aircraft to the Royal Australian Air Force. Robust flight testing and validation of these uncrewed high-altitude, long endurance aircraft are key milestones ahead of delivery to Australia this year. Australia's air force is collaborating with Northrop Grumman and the U.S. Navy to field the most advanced maritime intelligence, surveillance, reconnaissance and targeting

capability available today.

---

# General Dynamics Land Systems successfully demonstrates ARV prototype to U.S. Marine Corps



U.S. Marines from various Light Armored Reconnaissance battalions perform maintenance exercises with Field Service Representatives during a demo for the Advanced Reconnaissance Vehicle on June 14, 2024, at Detroit Arsenal. (Photo by David Jordan, Program Executive Officer Land Systems.)

*On track to deliver SIL2.0 and 30mm variant of Advanced Reconnaissance Vehicle*

From General Dynamics Land Systems, Feb. 3, 2025

STERLING HEIGHTS, Mich. – General Dynamics Land Systems announced today that it has successfully completed further testing of its Advanced Reconnaissance Vehicle (ARV) Command, Control, Communications, Computers/Unmanned Aerial Systems (C4/UAS) variant with the U.S. Marine Corps. The ARV is designed for the Marine Corps' future Mobile Reconnaissance Battalions.

Principal test locations from March to December 2024 included the Michigan Technological University Keweenaw Research Center (KRC) in Calumet, Mich., and the U.S. Army's Ground Vehicle Systems Center (GVSC), Detroit Arsenal in Warren, Mich.

General Dynamics Land Systems' C4/UAS ARV variant is built to serve as the Marine Corps' "quarterback" on the mobile and multi-domain battlefield. It connects to an array of onboard and off-board sensors, plus UAS and, in the future, ground and water robotic systems. The General Dynamics Land Systems design ensures growth margins and modular open architecture to rapidly incorporate new technology as it develops. In anticipation of potential future requirements, it also incorporates the company's Next Generation Electronic Architecture, enabling artificial intelligence functionality and control of robotic systems.

Marine Corps-directed and company-led tests and demonstrations in 2024 included land mobility, maintenance, logistics and training systems, as well as automotive and mission-profile performance assessments.

A focus area in 2024 involved a maintenance and logistics capability assessment by Marines using the ARV. To this end, General Dynamics Land Systems has incorporated modern digital maintenance and prognostic monitoring systems in the ARV. In addition to Marine Corps-directed testing, General Dynamics

Land Systems enhanced its demonstrations by introducing its next-generation Digital Training System (DTS), which eventually will enable ARV training at the individual, crew and unit levels for tactical operations and maintenance activities.

“The testing and demonstration activities last year helped us collect additional data to ensure we can meet or exceed the Marine Corps’ requirements for ARV, especially in the critical area of maintenance, logistics and training,” said Richard Trotter, ARV Program Director at General Dynamics Land Systems. “We are confident we can achieve key performance requirements in these areas as we wholistically design the strategic ARV capability and competitively position ourselves for the next phase of the program.”

Testing has included Marines from across the Light Armored Reconnaissance (LAR) and maintenance communities.

“Partnering with the Marines in the ARV testing and demonstrations provides very valuable feedback,” said Marc Shepard, ARV Program Manager at General Dynamics Land Systems. “Their collaborative, constructive feedback is invaluable as we aim for a transformational, 21<sup>st</sup> century solution.”

“We have said this before, and it is worth repeating: The ARV is highly mobile on land and in the water, allowing Marines to sense, communicate and connect to kill webs on the future battlefield like never before,” Trotter added. “Recent tests were some of the most extensive to date for us to trial our innovative technologies. We pride ourselves on delivering capabilities for today and also are thoughtful, deliberate and innovative about realizing the future vision of the Marine Corps. We look forward to continuing our long partnership with the Marines and contributing to their efforts to ensure that ARV is a transformational reconnaissance capability.”

In 2025, General Dynamics Land Systems will complete

manufacturing and delivery of an ARV-30mm prototype for testing and evaluation. The company also will deliver a second Systems Integration Lab (SIL) for the ARV program. The primary purpose of the SIL, designed to replicate the interior of the company's C4/UAS vehicle, is to validate the integration of the Command, Control, Communications, Computers and Intelligence (C4/I) systems and software. It is envisioned that the SIL also will serve as an immersive experience for ARV mission operators and crew to train and simulate real-world missions with full, representative vehicle functionality.

---

## **MSC chartered ship MV Ocean Giant completes cargo offload in support of Operation Deep Freeze 2025**



From Sarah Cannon, Feb. 12, 2025

MCMURDO STATION, Antarctica – The Military Sealift Command chartered ship MV Ocean Giant has completed a cargo offload of supplies at McMurdo Station, Antarctica in support of the annual resupply mission Operation Deep Freeze 2025.

Ocean Giant arrived at McMurdo Station Jan. 26, delivering a floating marine causeway system along with 380 pieces of cargo, consisting of containers filled with mechanical parts, vehicles, construction materials, office supplies and electronics equipment, and mobile office units; supplies needed to sustain the next year of operations at McMurdo Station, Antarctica.

Following the offload, Ocean Giant was loaded with 360 containers of retrograde cargo for transportation off the continent. This includes trash and recyclable materials for disposal and equipment no longer required on the station.

The MSC chartered ship MV Ocean Gladiator is scheduled to arrive in McMurdo Station later this week, and will begin a cargo offload as well as retrieving the causeway.

Operation Deep Freeze is a joint service, on-going Defense Support to Civilian Authorities activity in support of the National Science Foundation (NSF), lead agency for the United States Antarctic Program. Mission support consists of active duty, Guard and Reserve personnel from the U.S. Air Force, Navy, Army, and Coast Guard as well as Department of Defense civilians and attached non-DOD civilians. ODF operates from two primary locations situated at Christchurch, New Zealand and McMurdo Station, Antarctica. An MSC-chartered cargo ship and tanker have made the challenging voyage to Antarctica every year since the station and its resupply mission were established in 1955.

---

# L3Harris Technology Enhances US Torpedo Capability



From L3Harris, Feb. 4 2025

Improved Post-Launch Communications System (IPLCS) cleared sub-system testing to move closer to providing innovative tool to submarine fleets.

As great power competition increases and the U.S. Navy prioritizes strengthening undersea dominance, improved weapon reliability and lethality is more important than ever. L3Harris is answering the call with innovation to make the next generation of heavyweight torpedoes more effective for U.S. and allied naval forces.

The Improved Post-Launch Communications System (IPLCS) is a fiber-optic cable tether that connects the torpedo to its origin submarine, providing increased bandwidth for real-time data, a greater communications range along with better strength and reliability. The system is designed for the newest iteration of the MK-48 (Mod 8) torpedo, which will be the Navy's next generation submarine-launched weapon system with upgrades beginning in 2029.

"It's imperative we provide the U.S. Navy with technology to improve adversary targeting," said Jahmar Ignacio, Vice President and General Manager, L3Harris Strategic Missions. "This L3Harris advanced technology is key to ensuring warfighters have the right data at the right time for increased advantages over adversaries in the undersea domain."

IPLCS cleared Design Verification Testing and is now proving L3Harris' ability to manufacture the technology. Upon successful testing, L3Harris will work with Naval Sea Systems Command (NAVSEA) and Program Executive Office Undersea Warfare Systems (PEO UWS) toward system production.

Countering threats in the Indo-Pacific region is a key priority for the United States. During a visit to Guam and Hawaii earlier this year, Under Secretary of the Navy Erik Raven said U.S. prosperity is built upon free and open oceans and that the U.S. will defend American, ally and partner interests in the region.

"We are steadfast in our commitment to the security, stability

and prosperity of the Indo-Pacific region,” Raven said.

The U.S. Navy Science and Technology Strategy identifies Strengthening Maritime Technological Dominance as one of its three main priorities, with Undersea Systems as a focus. The L3Harris IPLCS system ties into that priority directly, giving warfighters enhanced capabilities to confront potential adversaries.

The Royal Australian Navy (RAN) is a partner on the IPLCS program and works within the Undersea Weapons Joint Program Office (PMS 404), with the tether system set to be incorporated into RAN Collins Class submarines in addition to U.S. Navy subs.

The IPLCS system replaces legacy copper wire tethers and offers dramatically better communication ranges and thousands of times more bandwidth. Warfighters on the submarine are able to guide the torpedo, working along with automated systems built into the weapon.

The fiber-optic cable is smaller than the copper wire it is replacing, but stronger, allowing for more reliable performance in contested environments. IPLCS began as a DARPA-funded program in partnership with the University of Central Florida pursuing ultra small, very strong highly integrated optical fiber cable.

---

## **CMF's Combined Task Force 150 Carries Out First Drug**

# Interdiction with New Zealand In Command



Coast Guardsmen from the U.S. Coast Guard Sentinel-class fast response cutter USCGC Emlen Tunnell (WPC 1145) seize illegal narcotics from a stateless vessel in the Arabian Sea. (U.S. Coast Guard)

From U.S. 5th Fleet, Feb. 11, 2025

MANAMA, Bahrain – A U.S. Coast Guard fast-response cutter, working in direct support of New Zealand-led Combined Task Force (CTF) 150 of Combined Maritime Forces, seized nearly 2,400 kilograms of illegal drugs from a vessel in the Arabian Sea, Feb. 7.

The interdiction by the Sentinel-class fast-response cutter USCGC Emlen Tunnell (WPC-1145) represents CTF 150's first drug seizure since New Zealand assumed command Jan. 15.

The cutter's boarding team discovered and seized 2,357kg of hashish from the vessel. After weighing and documenting the haul, the crew properly disposed of the narcotics.

Commodore Rodger Ward, commander of CTF 150, said he's proud of the team effort that went into making this interdiction a reality after only a few weeks in command.

"Our command is a small cog in a system focused on interdicting illicit trafficking on the high seas," Ward said. "This is a team effort and this bust would not have been possible without the support of the 46 nations who make up the Combined Maritime Forces."

Ward noted that every bust we make reduces the flow of finances to terrorist organizations. "This is why we're here, to contribute to maritime security and protect the rules-based international order," he said.

Emlen Tunnell is forward deployed to Bahrain. The fast response cutter is part of a contingent of U.S. Coast Guard ships operating in the region under Patrol Forces Southwest Asia (PATFORSWA). PATFORSWA deploys Coast Guard personnel and ships alongside U.S. and regional naval forces throughout the Middle East.

CTF 150 is one of five task forces under Combined Maritime Forces, the world's largest international naval partnership. CTF 150's mission is to deter and disrupt the ability of non-state actors to move weapons, drugs and other illicit substances in the Indian Ocean, the Arabian Sea and the Gulf of Oman.

Combined Maritime Forces is a 46-nation naval partnership upholding the international rules-based order by promoting security and stability across 3.2 million square miles of

water encompassing some of the world's most important shipping lanes.

---

# Coast Guard National Security Cutter Returns to CA Following 130-Day Bering Sea Patrol



Coast Guard Cutter Bertholf (WMSL 750) transits through Glacier Bay, Alaska, Oct. 24, 2024. During the patrol, Bertholf's crew operated as far north as the Arctic Circle, patrolling along the maritime boundary line between the United States and Russia and supporting U.S. strategic interests in the North Pacific Ocean. (U.S. Coast Guard photo by Troy Spence.)

From U.S. Coast Guard Pacific Area, Feb. 7, 2025

ALAMEDA, Calif. – The U.S. Coast Guard Cutter Bertholf (WMSL 750) and crew returned to Alameda Friday, after completing a 130-day deployment patrolling the Bering Sea.

The Bertolf's crew showcased how the U.S. Coast Guard is a unique instrument of national power that bridges the divide between defense, diplomacy, and law enforcement and creates opportunities to further national objectives and priorities.

During the patrol, Bertholf's crew operated as far north as the Arctic Circle. They provided U.S. maritime presence in the region patrolling along the maritime boundary line between the United States and Russia and supported U.S. strategic interests in the North Pacific Ocean by promoting maritime governance, enforcing domestic fishery regulations, and strengthening U.S. presence along the maritime boundary line.

Bertholf conducted joint operations in the region with the Coast Guard Cutter Healy (WAGB 20) and an Air Station Kodiak MH-60 helicopter aircrew, enhancing collaboration and improving capabilities across the national security cutter and polar icebreaker mission sets.

While patrolling the region, Bertholf's crew conducted 24 boardings of commercial fishing vessels, enforcing safety and living marine resource regulations.

The crews worked closely with National Oceanic and Atmospheric Administration law enforcement officers and Alaskan Wildlife State Troopers, notably conducting two boardings of foreign flagged trapper vessels. The Coast Guard's efforts in ensuring safe and sustainable fishing practices are essential to the long-term health of this vital renewable resource, and the security of the United States.

Bertholf's crew provided search and rescue (SAR) coverage of the Bering Sea showcasing the national security cutter and

crew's multi-mission agility. The crew responded to a disabled fishing vessel 80 nautical miles northeast of Dutch Harbor, Alaska. The fishing vessel Seabrooke had lost all electrical power, including navigation equipment and steering as a significant storm was approaching their position. Bertholf arrived on scene and placed the disabled vessel in tow using a bridle that Bertholf's crew handcrafted. Bertholf was relieved of the tow by commercial salvage vessel Makushin Bay who towed the disabled vessel safely into port at Akutan, Alaska.

"This crew excelled in one of the most challenging maritime environments through the holiday season, safeguarding U.S. fishermen, engaging with local communities, and delivering comprehensive search and rescue coverage across the Bering Sea," said Capt. Billy Mees, Bertholf's commanding officer. "I hold the entire crew, along with their families, in the highest regard for the sacrifices they make to serve our country."

To maintain and enhance SAR proficiency, Bertholf's crew conducted 46 helicopter deck landings with a U.S. Coast Guard Air Station Port Angeles HH-65 helicopter aircrew while operating in the Strait of Juan de Fuca. Bertholf also conducted flight operations with Air Station Kodiak's MH-60 helicopter aircrews operating near Cold Bay, Alaska. Coordination of flight operations provided critical training opportunities for both helicopter crews and Bertholf's crew, supporting Bertholf's ability to respond to emergencies.

Bertholf crew members fostered relationships while in port Juneau and Adak, Alaska with community relations engagements. They met with city leadership and devoted several hours to cleaning out the local tsunami shelter and engaging with the local population, less than 30 of whom were currently on the island, aiding in the service's understanding of the Aleutian community and how to optimize support for remote Alaskan communities.

Bertholf began the patrol representing the Coast Guard by participating in San Francisco's 2024 Fleet Week. The crew provided ship tours to over 2,500 visitors over a three-day period and sailed in formation during the parade of ships. The crew showcased their capabilities and commitment to the community through various public engagements including recruiting booths, Coast Guard Museum displays, and collaborations with other Coast Guard units across the Bay Area.

"We were honored to be a part of San Francisco Fleet Week – the Coast Guard is the largest branch of service in the Bay Area, and we were thrilled to interact with the community in this time-honored event." said Mees.

Bertholf is named for Commodore Ellsworth Price Bertholf, the Coast Guard's first commandant. Bertholf's most notable service was his role in the famous Alaska Overland Expedition in 1897. When over 200 American whalers became trapped in ice at Point Barrow, Bertholf led the relief party traveling 1,600 miles via dogsled. Along with Lt. David Jarvis and Dr. Samuel Call, Bertholf herded almost 400 reindeer through a frozen Alaska winter to feed the starving whalers, an act that would later earn him the Congressional Gold Medal. The ship's motto is "Legends Begin Here."

Homeported in Alameda, Bertholf was commissioned on August 4, 2008, as the Coast Guard's first Legend class national security cutter. National security cutters are 418-feet long, 54-feet wide, and have a 4,600 long-ton displacement. They have a top speed of 28 knots, a range of 12,000 nautical miles, and can hold a crew of up to 170. Bertholf routinely conducts operations throughout the Pacific, where the cutter's combination of range, speed, and ability to operate in extreme-weather conditions provides the mission flexibility necessary to conduct vital strategic missions.

The U.S. Coast Guard provides service to the American people. As part of the Department of Homeland Security team, Coast Guard men and women protect our nation and are at all times a military service—part of the joint force defending it.

---

## **USS O’Kane Returns Home after 7-Month Deployment to 5th, 7th Fleets**



The Arleigh Burke-class guided-missile destroyer USS O’Kane (DDG 77), assigned to the USS Abraham Lincoln Carrier Strike Group (ABECSG), returned to their homeport, Naval Base San Diego, after a seven-month deployment to the U.S. 3rd, 7th and 5th Fleet area of operations, Feb. 7. (U.S. Navy photo by IC2

Ulrika Mendiola)

From U.S. 3rd Fleet, Feb, 10, 2025

NAVAL BASE SAN DIEGO – The Arleigh Burke-class guided-missile destroyer USS O’Kane (DDG 77), assigned to the USS Abraham Lincoln Carrier Strike Group (ABECSG), returned to their homeport, Naval Base San Diego, after a seven-month deployment to the U.S. 3rd, 7th and 5th Fleet area of operations, Feb. 7.

O’Kane departed San Diego with the ABECSG, July 17, 2024, and remained in U.S. 5th Fleet following the departure of ABECSG who returned to their homeport in December 2024.

“I am incredibly proud of the exemplary work this team has invested in themselves and their equipment over the past few months,” said Cmdr. Rich Ray, commanding officer, O’Kane. “We are proud of the work we accomplished this deployment, and we are looking forward to continuing that success into the next challenge.”

Following the departure of the USS Abraham Lincoln (CVN 72) and the Arleigh Burke-class guided-class missile destroyers USS Frank E. Petersen, Jr. (DDG 121), USS Michael Murphy (DDG 112) and USS Spruance (DDG 111) from U.S. 5th Fleet, O’Kane and the USS Stockdale (DDG 106) remained in the U.S. Central Command (USCENTCOM) area of responsibility to support global maritime security operations.

O’Kane and Stockdale successfully escorted U.S. flagged and crewed merchant vessels in the Gulf of Aden. During the escort, the destroyers worked alongside other U.S. Central Command forces in successfully repelling multiple Iranian-backed Houthi attacks during transits of the Bab el-Mandeb strait. During the transit, the destroyers were attacked by one-way attack un-crewed Aerial systems, anti-ship ballistic

missiles and anti-ship cruise missiles which were successfully engaged and defeated. The vessels were not damaged, and no personnel were hurt. The ships were well prepared, supported, and the well-trained Sailors successfully defended the ship.

Throughout deployment, O'Kane successfully completed 75 flight quarters, including 84 rotary-wing landings, 26 rotary-wing refueling evolutions, and nine vertical replenishments. In addition, O'Kane conducted 24 replenishments-at-sea, and 22 mooring evolutions.

Additionally, O'Kane visited Karachi, Pakistan to promote the diplomatic relationship between the United States and Pakistan. Following the port visit, O'Kane conducted a maritime exercise to build interoperability with the Pakistan Navy.

ABECSG initially deployed to the Indo-Pacific region to support regional security and stability, and to reassure our allies and partners of the U.S. Navy's unwavering commitment, highlighted by the first-ever U.S.-Italy multi-large deck event with the Italian Navy's ITS Cavour Carrier Strike Group held in the Indo-Pacific on Aug. 9, 2024.

The strike group was ordered to the USCENTCOM area of responsibility to bolster U.S. military force posture in the Middle East, deter regional escalation, degrade Houthi capabilities, defend U.S. forces, and again sailed alongside our Italian allies and other partners to promote security, stability and prosperity. Assigned destroyers of the ABECSG, to include O'Kane, were essential to providing a layer of defense to U.S. forces and ensure the safe passage of commercial vessels and partner nations transiting in international waterways like the Red Sea, Bab el-Mandeb Strait and the Gulf of Aden.

As an integral part of U.S. Pacific Fleet, Commander, U.S. 3rd Fleet operates naval forces in the Indo-Pacific and provides the realistic and relevant training to ensure the readiness necessary to execute the U.S. Navy's timeless role across the full spectrum of military operations. U.S. 3rd Fleet works together with our allies and partners to advance freedom of navigation, the rule of law, and other principles that underpin security for the Indo-Pacific region.

---

## Portsmouth Naval Shipyard Successfully Undocks USS Cheyenne



The Los Angeles improved-class attack submarine USS Cheyenne

(SSN 773) moves berths following an undocking evolution at Portsmouth Naval Shipyard in Kittery, Maine, Feb. 7, 2025. (U.S. Navy photo by Branden Bourque)

[by Branden Bourque](#), Feb. 10, 2025

KITTERY, Maine – The Los Angeles improved-class attack submarine USS Cheyenne (SSN 773) was successfully undocked Feb. 6, marking a significant milestone in its service life extension program at Portsmouth Naval Shipyard.

“I couldn’t be more proud of the Cheyenne crew and the men and women of Portsmouth Naval Shipyard for all the work to achieve this significant milestone,” said Cheyenne Commanding Officer Cmdr. Kyle Calton. “Undocking is one of the most meaningful events in our overhaul period, returning Cheyenne to the water where she belongs and putting a huge gust of wind in our sails as we prepare to return to sea.”

Cheyenne has undergone major repairs, structural inspections, and replacements of mechanical and electrical systems. This extensive work, led by the project team, has enhanced the submarine’s capabilities, ensuring advanced systems are delivered to warfighters at the tip of the spear. These efforts contribute to the fleet’s operational readiness and support national defense priorities.

As Cheyenne’s undocking is a significant achievement, it’s especially noteworthy considering the ongoing construction work of the multi-mission dry dock project as part of the Navy’s Shipyard Infrastructure Optimization Program. It also underscores the innovative approach of the nation’s public shipyards to meet the chief of naval operations’ goals of restoring critical infrastructure and increasing the number of combat-ready platforms available to the fleet.

“Reaching the undocking milestone is a big win during any maintenance availability. The efforts on Cheyenne are even

more impressive as the team executed their highly complex work amid an active construction zone for our multi-mission dry dock,” said shipyard commander Capt. Michael Oberdorf. “It’s like cooking Thanksgiving dinner while renovating your kitchen – it requires thoughtful planning, coordination, and superb execution. Cheyenne’s undocking underscores our shipyard’s commitment to not only meet our current mission but ensures we can meet the future needs of America’s warfighting Navy to support and defend our nation.”


“I am incredibly proud of the men and women of Portsmouth Naval Shipyard and the crew of Cheyenne for all their hard work to complete the work necessary to undock on-time,” said Cheyenne project superintendent Jerry Legere. “They met every challenge head-on with tenacity and selflessness – they are all heroes. Through this incredible effort we have postured Cheyenne to be delivered as a fully mission capable submarine operated by a highly skilled crew ready to answer the nation’s call.”

Attack submarines are multi-mission platforms that enable five of the six core capabilities of the Navy’s maritime strategy: sea control, power projection, forward presence, maritime security, and deterrence. They are designed for excellence in anti-submarine warfare, anti-ship warfare, strike warfare, special operations, intelligence, surveillance and reconnaissance, irregular warfare, and mine warfare. Attack submarines also project power ashore through special operations forces and Tomahawk cruise missiles, playing a critical role in preventing or preparing for regional crises.

As the Navy’s leader in attack submarine maintenance and modernization, PNSY enhances critical warfighting capabilities by safely delivering first-time quality work, ensuring our undersea warfighters are battle-ready when called upon.

---

# L3Harris Unveils AMORPHOUS C2 Software



An L3Harris graphic illustrating the types of autonomous systems AMORPHOUS could control.

WASHINGTON – L3Harris has taken the wraps off AMORPHOUS, a new software that uses a single user interface to control thousands of autonomous, uncrewed platforms simultaneously, across all domains.

Officials from the Melbourne, Florida-based company briefed reporters on Amorphous on Feb. 6 in Washington, where they also purchased public advertising touting the new system.

AMORPHOUS stands for Autonomous Multi-domain Operations Resiliency Platform for Heterogenous Unmanned Systems and includes a distributed command-and-control interface.

“Autonomy is a force multiplier, which is why we have designed AMORPHOUS as a multi-domain, multi-mission capability that

rapidly integrates a variety of uncrewed systems across the battlespace,” said Jon Rambeau, president of L3Harris’ Integrated Mission Systems. “This project also highlights L3Harris’ partnerships with venture-backed and non-traditional companies to mature emerging defense capabilities more quickly and affordably.”

L3Harris is currently developing prototypes using the AMORPHOUS architecture on contracts for the U.S. Army and the Defense Innovation Unit. The company has demonstrated the system’s flexibility and interoperability by controlling multiple, separate assets across multiple vehicle types operating in different domains during government-managed tests.

The software allows one operator to oversee multiple platforms, which can make their own decisions within the network – for instance, if one drone is damaged or lost, the others in a swarm can adjust formations to compensate.

Although the system has just been publicly revealed, Rambeau and Toby Magsig, the vice president and general manager of Enterprise Autonomous Solutions, said AMORPHOUS is under “multiple contracts” to military customers.

And, although it has so far controlled a few systems, it is aimed at being able to control and oversee thousands, they said.

To do that at speed, AMORPHOUS relies on what Magsig called “thin messages,” akin to SMS text message on a phone, to communicate at speed with dispersed systems in multiple domains. The system could be used for counter-UAS operations; intelligence, surveillance, reconnaissance and targeting; swarming kinetic effects; electromagnetic spectrum operations and even autonomous breaching.

“All the services are asking for the same thing,” Magsig said. “This is not service specific.”

Underwater systems have traditionally posed communications problems, and Magsig was vague on how the company has addressed and possibly overcome them, saying when it comes to the underwater domain, “what happens there needs to stay there.”

Rambeau said AMORPHOUS is open architecture and platform and sensor agnostic, and training time can be very short due to its intuitive interface.