GA-ASI Flies MQ-9 in the Canadian Arctic

×

General Atomics Aeronautical Systems' MQ-9A "Big Wing" UAS flew in the hostile climate of the Canadian Arctic. *GA-ASI* SAN DIEGO – In a flight that originated from its Flight Test and Training Center (FTTC) near Grand Forks, North Dakota, General Atomics Aeronautical Systems, Inc. (GA-ASI) flew a company-owned MQ-9A "Big Wing" configured unmanned aircraft system north through Canadian airspace past the 78th parallel, the company said in a Sept. 10 release.

A traditional limitation of long-endurance UAS has been their inability to operate at extreme northern (and southern) latitudes, as many legacy SATCOM datalinks can become less reliable above the Arctic (or below the Antarctic) Circle – approximately 66 degrees north. At those latitudes, the lowlook angle to geostationary Ku-band satellites begins to compromise the link. GA-ASI has demonstrated a new capability for effective ISR operations by performing a loiter at 78.31° North, using Inmarsat's L-band Airborne ISR Service (LAISR).

The flight over Haig-Thomas Island, in the Canadian Arctic, demonstrated the UAS's flexibility by operating at very high latitudes. The flight, which took off on Sept. 7 and returned to the FTTC on Sept. 8, was conducted with cooperation from the Federal Aviation Administration, Transport Canada and Nav Canada.

Covering 4,550 miles in 25.5 hours, it was one of the longestrange flights ever flown by a company MQ-9. The flight was performed under an FAA Special Airworthiness Certificate and a Transport Canada Special Flight Operations Certificate.

GA-ASI partnered with Inmarsat Government, a leading provider

of secure, global mission-critical telecommunications to the U.S. government in the design, acceptance testing and deployment of an enhanced SATCOM system. The SATCOM was one of the key enablers of the flight and consisted of a GA-ASI designed L-band high data rate system, as well as an Inmarsat low data rate backup datalink that could retain the aircraft's link to the ground control station even when operating in the high-latitude environment.

"As the global leader in UAS, we have enabled our UAS to operate in Arctic regions, over land and sea, where effective C2 and ISR-data transfer was previously not feasible," said Linden Blue, GA-ASI CEO. "As new customers come online, we want our aircraft to be able to provide them with the high data rate surveillance and high endurance that our aircraft are known for, and be able to do so in any environment."

GA-ASI coordinated between domestic and international airspace authorities for the flight. This is part of the company's ongoing airspace Integration initiative, designed to demonstrate how UAS can fly safely across international borders, in controlled airspace, and in this case, to extreme northern latitudes.

"At Inmarsat Government, we take pride in delivering SATCOM solutions that empower our customers' current and future UAS missions around the world, even in the most challenging environments," said Tom Costello, chief commercial officer, Inmarsat Government. "We are proud to partner with organizations like GA-ASI that enable the government and military to enhance their use of UAS and deliver the SATCOM required for full situational awareness and mission success."

MQ-9A has unmatched operational flexibility, and when modified with the Big Wing, it has endurance over 43 hours, speeds of 220 KTAS, and can operate at altitude of up to 45,000 feet. It has a 4,800-pound (2,177-kilogram) payload capacity that includes 4,000 pounds (1,814 kilograms) of external stores. It provides long-endurance, persistent surveillance capabilities, with full-motion video and synthetic aperture radar/moving target indicator/maritime radar. An extremely reliable aircraft, MQ-9A Big Wing is equipped with a fault-tolerant flight control system and triple redundant avionics system architecture. It is engineered to meet and exceed manned aircraft reliability standards.

GA-ASI's newest models, the MQ-9B SkyGuardian and SeaGuardian, represent the next generation of UAS, having demonstrated airborne endurance of more than 40 hours, automatic takeoffs and landings under SATCOM-only control, and a detect and avoid system. Its development is the result of a company-funded effort to deliver a UAS that can meet the stringent airworthiness certification requirements of various military and civil authorities.